Appl. No. 10/055,224

Amdt. Dated 06/24/04

Reply to Office Action of Mar. 30, 2004

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims;

Claims 1-3 (canceled)

Claim 4 (new): An apparatus for producing a cellulose paper pulp from a biological mass, the apparatus comprising:

- (a) a tower means for sterilizing the biological mass to form a culture medium;
- . (b) a first screw means for mixing the collare medium with an inoculum in a sterile environment to create an inoculated mass;
- (c) a first conditioning and reaction chamber having means for mixing and handling the inoculated mass in a sterile environment with a controlled temperature, pH and atmosphere comprising CO2 and O2, to form an enzyme;
 - (d) a hydraulic pulper having means for elementarizing the

Appl. No. 10/055,224 Amdt. Dated 06/24/04

Reply to Office Action of Mar. 30, 2004

inoculated mass and soaking the inoculated mass with an enzyme extracting fluid to form a suspension;

- (c) a hammer mill means for elementarizing a vegetative material, breaking up stem knots of the vegetative material, pulverizing loaves of the vegetative material and detaching bask from wood of the vegetative material;
- (f) a rotating tumbler means for separating a various fraction of the vegetative material wherein said rotating tumbler means comprises a reel and a counter reel;
- (g) a rotor compactor means for reducing a volume of the vegetalive mass and removing a majority of air contained in the vegetative mass to form a compacted vegetative mass;
- (h) a second screw means for mixing the compacted vegetative mass with water and an extract containing the enzyme in a sterile environment;
- (i) a second conditioning and reaction chamber having means for mixing and handling a mixture of the vegetative mass and the

Appl. No. 10/055,224 Amdr. Dated 06/24/04

Reply to Office Action of Mar. 30, 2004;

extract containing the enzyme in a sterile environment with a controlled temperature, pH and atmosphere comprising CO2 and O2 to form a second conditioned and reacted vegetative mass; and

(j) an apparatus means for bleaching the second conditioned and reacted vegetative mass and for disposing of a refluent.

Claim 5 (new): The apparatus of claim 4, wherein at least one of said tirst screw means and said second screw means further comprises:

- (a) a hollow coil means for internally circulating a thermostatic fluid;
 - (b) a sensor means for controlling an instrument; and
- (c) a means for homogeneously distributing a suitable pH corrective and additive.

Claim 6 (new): The apparatus according to claim 1, wherein said first and second conditioning and reaction chambers further comprise:

Appl. No. 10/055,224 Amdt. Dated 06/24/04

Reply to Office Action of Mar. 30, 2004

- (a) a tilting axis screw means for controlling a reaction progress and speed, keeping a reaction mass in constant movement and controlling a duration time of the reaction mass in the chamber, wherein said tilting axis screw means has an adjustable tilt angle rotation speed and transverse speed; and
- (b) a bridge crane means for translating said tilting axis screw means along a surface of the chamber.

ĵ